

H 7880 BP

Horno de 30 pulgadas de ancho

diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



- Gran display con sensor de proximidad: M Touch + MotionReact
- Seguimiento del proceso de cocción: Cámara en interior del horno
- Mínimo esfuerzo de limpieza: equipamiento# de limpieza pirolítica y PyroFit
- Masas especialmente esponjosas con corteza crujiente y dorada: función Clima
- Alimentos en su punto ideal de cocción: TasteControl

Código EAN: 4002516487289 / Número de material: 11805610 /

Número de material antiguo: 22788025USA

| Construcción y diseño | |
|--|---------------------------------------|
| VitroLine | • |
| Construcción y diseño | |
| Horno de integración | • |
| Ventajas Miele | |
| Regulación precisa de la temperatura hornos en °F (°C) | 85-575 (30-300) |
| TasteControl | • |
| Calentamiento rápido | • |
| Sonda térmica | Sonda térmica inalámbrica muy precisa |
| Mantenimiento del calor | • |
| Crisp function | • |
| Funciones | |
| Aire caliente plus para hornear | • |
| Aire caliente plus para asar | • |
| Calor de bóveda y solera | • |
| Función Clima | • |
| Función Clima con asado automático | • |
| Función Clima con aire caliente plus | • |
| Función Clima con cocción intensiva | • |
| Función Clima con bóveda y solera | • |
| Cocción intensiva | • |
| Asado automático | • |
| Grill con recirculación de aire | • |
| Grill | • |
| Grill pequeño | • |
| Funciones con grill | • |
| Calor de bóveda | • |
| Calor de solera | • |
| Cocción a baja temperatura | • |
| Descongelar | • |
| Programas automáticos | • |
| Funciones especiales | • |
| Diseño | |
| Color del aparato | Negro obsidiana |
| Confort de manejo | |
| Sensor de proximidad MotionReact | • |
| Conexión con Miele@home | • |
| Display | M Touch |
| MotionReact: la luz se enciende al aproximarse | • |
| MotionReact: el display se enciende al aproximarse | • |
| MotionReact: tono de confirmación al aproximarse | • |
| MotionReact: Reconocimiento de frontales de muebles | • |
| Cámara en el interior del horno | • |
| SoftOpen | • |
| SoftClose | • |
| MultiLingua | • |
| MyMiele | • |

H 7880 BP

Horno de 30 pulgadas de ancho

diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



Código EAN: 4002516487289 / Número de material: 11805610 /


Número de material antiguo: 22788025USA

| | |
|---|-------------------|
| Función Ayuda | • |
| Entradas de vapor programables | • |
| Señales acústicas polifónicas | • |
| Indicación de la hora | • |
| Sincronización del reloj | • |
| Indicación de la fecha | • |
| Minutero avisador | • |
| Programación de inicio de cocción | • |
| Programación de fin de cocción | • |
| Programación de tiempos de cocción | • |
| Indicación de la temperatura real | • |
| Señal acústica al alcanzar la temperatura teórica | • |
| Propuesta de temperatura | • |
| Programas propios | • |
| Programa Sabbath | • |
| Ajustes individuales | • |
| DirectWater | • |
| Eficiencia y sostenibilidad | |
| Aprovechamiento del calor residual automático | • |
| Confort de mantenimiento | |
| Autolimpieza pirolítica | • |
| Catalizador sin calentamiento | • |
| Puerta CleanGlass | • |
| Tecnología de vapor/conexión de agua | |
| Generador de vapor, potencia en kW | 1,10 |
| Depósito de agua fresca, volumen en l | 0,3 |
| DirectWater | Sí |
| Seguridad | |
| Sistema de enfriamiento del aparato con frente frío | • |
| Desconexión automática de seguridad | • |
| Bloqueo de puesta en funcionamiento | • |
| Bloqueo de puerta durante pirólisis | • |
| Bloqueo del teclado | • |
| Datos técnicos | |
| Volumen interior en l | 130 |
| Número de niveles de bandeja | 6 |
| Número de niveles de bandeja del horno 1 | 6 |
| Número de niveles de bandeja del horno 2 | 6 |
| Identificación de los niveles de bandeja | • |
| Iluminación interior | 2 focos halógenos |
| Ventilador de aire caliente TwinPower | • |
| Ancho del hueco mín. en mm | 724 |
| Ancho del hueco máx. en mm | 724 |
| Alto del hueco mín. en mm | 718 |
| Alto del hueco máx. en mm | 718 |
| Fondo del hueco en mm | 610 |
| Ancho del aparato en mm | 757 |
| Alto del aparato en mm | 727 |


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




side view 30 inch Flush inset, installation drawing, NA




installation 30 inch Flush inset, installation drawing, NA




installation 30 inch Flush inset built-under, installation drawing, NA




installation 30 inch Flush inset, installation drawing, NA




side view 30 inch Proud, installation drawing, NA




installation 30 inch Proud, installation drawing, NA



installation 30 inch Proud, installation drawing, NA



H 6x80 BP, H 6x70 BM, H 6x80-2BP, DGC 7x7x, H 7xxx Combi, Installation drawing, Flush inset, NA




H 6x80 BP, ESW 6x80, H 6x80-2BP, H2x80, H7x80m ESW7x80 Combi, Installation drawing, Flush inset, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




H 6x80 BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, DGC7xxx, H 7xxx, ESW7x80 Combi, Installation drawing, Flush inset, NA




DGC 6x6x(AM)+EBA 6808, H 6x80 BP, H 6x80-2BP, DGC786x, EBA7868, H7xxx, Fitting Combi, Install. drawing, Flush inset, NA




H 6x80, H 6x00 + EBA 6808, DGC 6x00-1, H 6x80, DGC7x7x, EBA7848, H7x8x Fitting Combi, Install drawing, Flush inset, NA




H 6x80 BP, H 6x70 BM, H 6x80-2BP, DGC7x7x, H7xxx Fitting Combi, Installation drawing, Flush inset, NA




H 6x80 BP, ESW 6x80, H 6x80-2BP, H7x8x, ESW7x80, H 2x8x Fitting Combi, Installation drawing, Flush inset, NA




DGC6x6x (AM)+EBA6808, H 6x80, ESW 6x80, H 6x80-2, DGC786x, EBA7868, H 7x80, Fitting Combi, Install draw, Flush inset, NA



H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x85, DGC 6x00-1, H 6x80-2BP, Fitting Combi, H 7x40BM, ESW 7x70, Flush inset, NA



H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x80, DGC 6x00-1, H 6x80-2BP, DGC7x40, EBA 7848, H2880BP, H7x80BP, Flush inset, NA






H 6x80 BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, DGC7xxx, H7xxxBM/BMx/BP/BPX, H2x80BP, ESW7x80, Installation drawing, NA

H 7880 BP

Horno de 30 pulgadas de ancho




diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



H 6x80 BP, H 6x80-2BP, H 2x80BP, H 7x80BP/BPX Fitting Combi side by side, Installation drawing, Flush inset, NA

H 6x80BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, H7xxx BM/BP/BPX, BMX, ESW7x70, EVS7670, Installation drawing, Flush inset, NA




H 6x80 BP, H 6x80-2BP, H 2x80BP, H7x80BP/BPX, Installation drawing, Flush inset, NA



H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, H 7xxx BP/BM/BPX/BMX, EXX 7x70 Fitting Combi side by side without wall, NA

DGC 6x6x (AM) + EBA 6808, H 6x80 BP, H 6x80-2BP, DGC 786x, EBA 7868, H2880BP, H7x80BP/BPX, Fitting Combi wide front, NA

H 6x80 BP, H 6x00 BM, EBA 6808, DGC 6x00-1, H 6x80-2BP, DGC 7x4x, EBA 7848, H 7x80BP, H 2880BP, Flush inset, NA



DGC 6x6x (AM) + EBA 6808, H 6x80 BP, ESW 6x80, H 6x80-2BP, DGC 786x, EBA 7868, H7x80BP/BPX, ESW 7x80, Flush inset, NA




H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x85, DGC 6x00 + EBA 6808, H 6x80-2BP, H2880BP, H7xxxBM/BP/BPX, ESW7x70 NA

H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x80, DGC 6x00, H 6x80-2BP, DGC 7x4x, EBA 7848, H2880BP, H7x80BP, ESW7x80, NA

H 7880 BP

Horno de 30 pulgadas de ancho




diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



H 6x80 BP, H 6x80-2BP, H 2x8xBP, H 7x80 BP/BPX Fitting Combi wide front side by side, Install. drawing, Flush inset, NA

H 6x80 BP, H 6x80-2BP, H 2x80BP, G 7x80 BP/BBX, Installation drawing, Flush inset, NA




H 6x80 BP, H 6x00 BM + EBA 6808, H 6x80-2BP, H7xxx BM/BP/BPX, EBA 7848, Installation drawing, Flush inset, NA



H 6x80 BP, H 6x70 BM, H 6x80-2BP, H 7xxx BM/BMX/BP/BPX, H 2x90BP Installation drawing, Flush inset, NA

H 6x80 BP, ESW 6x80, H 6x80-2BP, H 2x80BP, H 7xxx BP/BPX, ESW 7x80 Installation drawing, Flush inset, NA

H 6x80 BP, H 6x00 BM + EBA 6808, H 6x80-2BP, H 7xxxBM/BP/BPC, EBA 7848, ESW 7x80, Installation drawing, Flush inset, NA



H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, H2880BP, H7xxxBP/BPX/BM/BMX, Exx7670, Installation drawing, Flush inset, NA


H 6x80BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, H 2880BP, H 7xxxBP/BPX/BM/BMX, ESW 7x80 Installation drawing, Flush inset, NA

H 6x80 BP, H 6x80-2BP, H2x80BP, H7x80BP/BPX Combi, side by side, Installation drawing, Flush inset, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




H 6x80BP, H 6x70BM, ESW 6x85, H 6x80-2BP, H2x80BP, H 7x80BP/BPX, ESW 7x70, EVS7670, Install. drawing, Flush inset, NA




H 6x80 BP, H 6x80-2BP, H2x80B/BP, H 7x80BP/BPX, Installation drawing, Flush inset, NA




H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, H 2x80BP, H 7x80BP/BPX, ESW 7x70, EVS 7670, drawing, Flush inset, NA




H 6x80 BP, H 6x70 BM, H 6x80-2BP, DGC7x7x, H7x70BM, H7x80BPX, Combi, Installation drawing, Proud, NA




H 6x80 BP, ESW 6x80, H 6x80-2BP, H2x80BP, H7x80BP(X), ESW7x80, Combi, Installation drawing, Proud, NA




H6x80(2)BP, H6x70BM, ESW6x80, DGC7x7(X), H7x70BM(X), H7x80BP, ESW7x80, Combi, Installation drawing, Proud, Flush inset,



DGC6x6+EBA6808, H6x80BP, H6x80-2BP, DGC786x+EBA7868, H2880BP, H7x80BPX, Fitting Combi, Installation drawing, Proud, NA



H6x80BP, (H6x00BM, DGC6x00-1)+EBA6808, H6x80-2BP, DGC7x4x+EBA7848, H2880BP, H7x80BPX, Fitting Combi, InstallationProud,




H6x80BP, H6x70BM, H6x80-2BP, DGC7x7x, H7x70BM, H2x80BP, H7x80BP(X), Fitting Combi, Installation drawing, Proud, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




H6x80BP, ESW6x80, H6x80-2BP, H2x80BP, H7x80BPX, ESW7x80, Fitting Combi, Installation drawing, Proud, NA




DGC6x6(AM)+EBA6808,H6x80(-2)BP,ESW6x80, DGC786x+EBA7868, H2880BP, H7880BP, H7x80BP, ESW7x80, Fitting Combi, Installation, Proud,




H6x80BP, H6x00BM+EBA6808, ESW6x85, DGC6x00-1 + EBA6808, H6x80-2BP, NA7000 Fitting Combi, Installation drawing, Proud, NA




H6x80BP, H6x00BM+EBA6808, ESW6x80, DGC6x00-1+EBA6808, H6x80-2BP, NA7000 Fitting Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, NA7000 Fitting Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x80-2BP, NA7000, Fitting Combi side by side, Installation drawing, Proud, NA



H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, NA7000, Fitting Combi side by side, Installation drawing, Proud, NA



H 6x80 BP, H 6x80-2BP, NA7000 Fitting Combi side by side without wall, Installation drawing, Proud, NA






H6x80BP, H6x70BM, ESW6x85, H6x80-2BP, NA7000, Fitting Combi side by side without wall, Installation drawing, Proud, NA

H 7880 BP

Horno de 30 pulgadas de ancho




diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



DGC 6x6x (AM) + EBA 6808, H 6x80 BP, H 6x80-2BP, NA7000, Fitting Combi wide front, Installation drawing, Proud, NA

H6x80BP, (H6x00BM, DGC6x00-1) + EBA6808, H6x80-2BP, NA7000, Fitting Combi wide front, Installation drawing, Proud




DGC 6x6x (AM) + EBA 6808, H 6x80 BP, ESW 6x80, H 6x80-2BP, NA7000 Fitting Combi wide front, Installation drawing, Proud



H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x85, DGC6x00 + EBA6808, H6x80-2BP, NA7000, Fitting Combi w. front, drawing, Proud

H6x80BP, H6x00BM + EBA6808, ESW6x80, DGC6x00 + EBA 6808, H 6x80-2BP, NA7000 Fitting Combi w. front, drawing, Proud, NA

H 6x80 BP, H 6x80-2BP, H2x80BP, H7x80BP(X), Fitting Combi wide front side by side, Installation drawing, Proud, NA



H 6x80 BP, H 6x80-2BP, NA7000 Fitting Combi wide front side by side without wall, Installation drawing, Proud, NA


H6x80(-)2BP, H6x00BM + EBA6808, H7x40BM, H2880BP, H7x80BP(X), Installation Combi, Installation drawing, Proud, NA

H 6x80 BP, H 6x70 BM, H 6x80-2BP, Hx70BM, H2x80BP(X), H7x80BP(X), Installation Combi, Installation drawing, Proud, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




H 6x80 BP, ESW 6x80, H 6x80-2BP, H2x80BP, H7x80BP, ESW7x80, Installation Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x85, H 6x80-2BP, NA7000 Installation Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x00 BM + EBA 6808, ESW 6x80, H 6x80-2BP, NA7000 Installation Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, NA7000 Installation Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, NA7000, Installation Combi, Installation drawing, Proud, NA




H 6x80 BP, H 6x80-2BP, H2x80BP, H7x80BP, Installation Combi, side by side, Installation drawing, Proud, NA



H6x80(-)2BP, H6x70BM, ESW6x85, H2x80BP, H7x80BP, ESW7x70, EVS7670, Installation Combi side by side, Installation drawing



H 6x80 BP, H 6x80-2BP, H2x80BP, H7x80BP(X), Installation Combi side by side without wall, Installation drawing, Proud, NA




H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, NA7000, Installation Combi side by side without wall, drawing, Proud, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




DGC 6x6x (AM) + EBA 6808, H 6x80 BP, H 6x80-2BP, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80 BP, H 6x00 BM + EBA 6808, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80 BP, H 6x70 BM, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80 BP, ESW 6x80, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80BP, H 6x00BM + EBA6808, ESW6x85, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80BP, H 6x00BM + EBA6808, ESW6x80, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA



H 6x80 BP, H 6x70 BM, ESW 6x85, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA



H 6x80 BP, H 6x70 BM, ESW 6x80, H 6x80-2BP, NA7000, Installation Combi wide front, Installation drawing, Proud, NA




H 6x80 BP, H 6x80-2BP, H 2x80BP, H 7x80BP, Installation Combi wide front side by side, Installation drawing, Proud, NA


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




H6x80(2)BP, H6x70BM, ESW6x85, H2x80BP, H7x80BP, Installation Combi wide front side by side, Installation drawing, Proud




H6x80BP, H6x80-2BP, H2x80BP, H7x80BP, Installation Combi wide front side by side without wall, Installation drawing




H6x80 BP, H6x70BM, ESW6x85, H6x80-2BP, NA7000, Installation Combi w. front side by side without wall, drawing, Proud, NA




DGC7x7x(X), H7x8x(X)BP, side view, 30 Zoll, Flush inset, combi, XL, 650




DGC7x8x, H2x80BP, H7x8xBP(X), side view, 30 Zoll, Flush inset, combi, XXL 650




DGC7x8x(X), H2x80BP, H7x8xBP, ESW7x80, side view, 30 Zoll, Flush inset, combi, XXL, 650, ESW30



DGC7x4x+EBA7848, H2880BP, H7x8BP(X), Installation, 30 Zoll, Flush inset, combi, XL, 650



DGC786x+EBA7868, H280BP, H7x8xBP(X), Installation, 3 Zoll, Flush inset, combi, XXL, 650




DGC7x4x+EBA7848, H280BP, H7x8xBP(X), ESW7x80, Installation, 30 Zoll, Flush inset, combi, XL, 650


H 7880 BP

Horno de 30 pulgadas de ancho


diseño fácilmente combinable, con sonda inalámbrica de alta precisión.




DGC786x+EBA7868, H7x80BP(X), ESW7x80, Installation, 30 Zoll, Flush inset, combi, XXL, 650




DGC7xxx, H2x80BP, H7x8xBP(X), side view, 30 Zoll, Proud, combi, XL, 650




DGC7x8x, H2x80BP, H7x8xBP(X), side view, 30 Zoll, Proud, combi, XXL 650




DGC7x8x(X), H2x80BP, H7x8xBP(X), ESW7x80, side view, 30 Zoll, Proud, combi, XXL, 650




DGC7x4x+EBA7848, H2880BP, H7x8xBP(X), Installation, 30 Zoll, Proud, combi, 650




DGC786x+EBA7868, H2880BP, H7x8xBP(X), Installation, 30 Zollm Proud, combi, XXL, 650



DGC7x4x+EBA7848, H2880BP, H7x6xBP(X), ESW7x80, Installation, 30 Zoll, Proud, combi, XL, 650



DGC786x+EBA7868, H7x8xBP, ESW7x80, Installation, 30 Zoll, Proud, combi, XXL, 650




DGC7x4x+EBA7848, H2880BP, H7280BP(X), Installation, 30 Zoll, Proud, combi, wide front, XL, 650

H 7880 BP

Horno de 30 pulgadas de ancho

diseño fácilmente combinable, con sonda inalámbrica de alta precisión.



DGCTx4x+EBA7848, H2880BP, H7x8xBP, ESW7x80,
Installation, 30 Zoll, Proud, combi, wide front, XL, 650

Handle H72xx, H76xx, H78xx, PureLine – NA7000 -
Installation drawing